J. MICROENCAPSULATION, 1995, VOL. 12, NO. 6, 693–697

INDEX OF AUTHORS (WITH TITLES)

Alder, R., *see* Gander, B.
Arica, B., Özer, A. Y., Ercan, M. T., and Hincal, A. A.: Characterization, *in vitro* and *in vivo* studies on primaquine diphosphate liposomes 469
Armengol, X., and Estelrich, J.: Physical stability of different liposome compositions obtained by extrusion method 525
Asati, R. K., *see* Vyas, S. P.
Attwood, D., *see* Huatan, H.

Bachtsi, A. R., and Kiparissides, C.: An experimental investigation of enzyme release from poly(vinyl alcohol) crosslinked microspheres 23
Badawi, A., *see* El-Kheshen, S.
Benita, S., *see* Donbrow, M.
Benita, S., *see* Santos Magalhaes, N. S.
Betageri, G. V., *see* Kulkarni, S. B.
Bhardwaj, S. B., Shukla, A. J., and Collins, C. C.: Effect of varying drug loading on particle size distribution and drug release kinetics of verapamil hydrochloride microspheres prepared with cellulose esters 71
Bhatnagar, S., Nakhare, S., and Vyas, S. P.: Poloxamer-coated three-ply-walled microcapsules for controlled delivery of diclofenac sodium 13
Brujes, L., *see* Legrand, J.
Brun, H., *see* Giroud, F.
Byung-Nak Ahn, Shin-Keun Kim and Chang-Koo Shim: Preparation and evaluation of proliposomes containing propranolol hydrochloride . . . 363

Chang-Koo Shim, *see* Byung-Nak Ahn
Chen, H., Wu, J.-C., and Chen, H.-Y.: Preparation of ethylcellulose microcapsules containing theophylline by using emulsion non-solvent addition method . . 137
Chen, H.-Y., *see* Chen, H.
Chien, Y. W., *see* Sah, H. K.
Chui, W. K., *see* Wan, L. S. C.
Cliff, R. O., *see* Spargo, B. J.
Collett, J. H., *see* Huatan, H.
Collins, C. C., *see* Bhardwaj, S. B.
Conway, J., *see* Sun, Z. M.

Daniels, R., and Mittermaier, E. M.: Influence of pH adjustment on microcapsules obtained from complex coacervation of gelatin and acacia 591
Demirel, M., *see* Yazan, Y.
Dixit, V. K., *see* Katare, O. P.
Donbrow, M., Hoffman, A., and Benita, S.: Gradation of microcapsule wall porosity by deposition of polymer mixtures (Eudragit *RL* and Eudragit *RS*). Phase separation of polymer mixtures and effects of external media and conditions on release 273

El-Kheshen, S., Zia, H., Badawi, A., Needham, T. E., and Luzzi, L. A.: Coating charcoal with polyacrylate–polymethacrylate copolymer for haemoperfusion III: The effect of the coat thickness on the adsorption capacity of the coated charcoal and its adsorptivity to small and middle size molecules. 505
El-Sayed, Y. M., *see* Khidr, S. H.
Ercan, M. T., *see* Arica, B.
Estelrich, J., *see* Armengol, X.

Etuk, B. R., Weatherley, L. R., and Murray, K. R.: Some factors affecting the size of nylon 6–10 microcapsules prepared by interfacial polymerization in a high-voltage electric field 173

Fessi, H., *see* Santos Magalhaes, N. S.
Filipović-Grčic, J., Maysinger, D., and Jalšenjak, I.: Review: Microparticles with neuroactive agents 343
Fresta, M., Wehrli, E., and Puglisi, G.: Neutrase entrapment in stable multilamellar and large unilamellar vesicles for the acceleration of cheese ripening . . . 307

Gander, B., Wehrli, E., Alder, R., and Merkle, H. P.: Quality improvement of spray-dried, protein-loaded D,L-PLA microspheres by appropriate polymer solvent selection 83
Garnelle, G., *see* Legrand, J.
Giroud, F., Pernot, J. M., Brun, H., and Pouyet, B.: Optimization of microencapsulation of acrylic adhesives 389
Güler, E., *see* Yazan, Y.
Gürsel, İ, and Hasırcı, V.: Properties and drug release behaviour of poly(3-hydroxybutyric acid) and various poly(3-hydroxybutyrate-hydroxyvalerate) copolymer microcapsules 185
Gürsel, M., and Hasırcı, V.: Influence of membrane components on the stability and drug release properties of reverse phase evaporation vesicles (REVs): light sensitive all-*trans* retinal, negatively charged phospholipid dicetylphosphate and cholesterol 661

Han, J. H., *see* Kim, C.-K.
Hasırcı, V., *see* Gürsel, İ.
Hasırcı, V., *see* Gürsel, M.
Hincal, A. A., *see* Arica, B.
Hirota, S., *see* Yachi, K.
Hoffman, A., *see* Donbrow, M.
Huatan, H., Collett, J. H., and Attwood, D.: The microencapsulation of protein using a novel ternary blend based on poly(ε-caprolactone) 557
Hwang, L. S., *see* Lin, S.-Y.

Inoue, S., *see* Totomi, N.
Iwata, M., *see* O'Donnell, P. B.

Jain, C. P., and Vyas, S. P.: Preparation and characterization of niosomes containing rifampicin for lung targeting 401
Jalšenjak, I., *see* Filipović-Grčic, J.
Jayakrishnan, A., *see* Latha, M. S.
Jayakrishnan, A., *see* Subhaga, C. S.

Katare, O. P., Vyas, S. P., and Dixit, V. K.: Enhanced *in vivo* performanceof liposomal-indomethacin derived from effervescent granule based proliposomes 487
Kentepozidou, A., and Kiparissides, C.: Production of water-containing polymer microcapsules by the complex emulsion/solvent evaporation technique. Effect of process variables on the microcapsule size distribution 627
Khidr, S. H., Niazy, E. M., and El-Sayed, Y. M.: Preparation and *in-vitro* evaluation of sustained-release metoclopramide hydrochloride microspheres . . . 651
Kikuchi, H., *see* Yachi, K.
Kim, C.-K., and Han, J. H.: Lymphatic delivery and pharmacokinetics of methotrexate after intramuscular injection of differently charged liposome-entrapped methotrexate to rats 437
Kim, C.-K., and Yoon, Y.-S.: Development of digoxin dry elixir as a novel dosage form using a spray-drying technique 547

Kiparissides, C., *see* Bachtsi, A. R.
Kiparissides, C., *see* Kentepozidou, A.
Kondo, T., *see* Muramatsu, N.
Kondo, T., *see* Totomi, N.
Kreuter, J., *see* Rössler, B.
Kulkarni, S. B., Betageri, G. V., and Singh, M.: Factors affecting microencapsulation of drugs in liposomes 229

Latha, M. S., and Jayakrishnan, A.: A new method for the synthesis of smooth, round, hydrophilic protein microspheres using low concentrations of polymeric dispersing agents 7
Legrand, J., Brujes, L., Garnelle, G., and Phalip, P.: Study of a microencapsulation process of a virucide agent by a solvent evaporation technique 639
Lin, C.-C., *see* Lin, S.-Y.
Lin, S.-Y., Hwang, L. S., and Lin, C.-C.: Thermal analyser and micro FT-IR/DSC system used to determine the protective ability of microencapsulated squid oil 165
Luzzi, L. A., *see* El-Kheshen, S.

Magdassi, S., and Vinetsky, Y.: Microencapsulation of O/W emulsions by formation of a protein-surfactant insoluble complex 537
Makino, K., *see* Totomi, N.
Maysinger, D., *see* Filipović-Grčic, J.
McGinity, J. W., *see* O'Donnell, P. B.
Merkle, H. P., *see* Gander, B.
Mingzu Zhang, Peihong Ni and Nianxi Yan: Effect of operation variables and monomers on the properties of polyamide microcapsules 425
Mittermaier, E. M., *see* Daniels, R.
Monshipouri, M., and Price, R. R.: Emulsification preparation of calcium alginate beads in the presence of sequesterant 255
Monshipouri, M., and Rudolph, A. S.: Liposome-encapsulated alginate: controlled hydrogel particle formation and release 117
Muramatsu, N., and Kondo, T.: An approach to prepare microparticles of uniform size 129
Murat Elçin, Y.: Control of mosquito larvae by encapsulated pathogen *Bacillus thuringiensis var. israelensis* 515
Murray, K. R., *see* Etuk, B. R.

Nairn, J. G., *see* Vachon, M. G.
Nakhare, S., *see* Bhatnagar, S.
Nakhare, S., and Vyas, S. P.: Prolonged release of rifampicin from multiple W/O/W emulsion systems 409
Needham, T. E., *see* El-Kheshen, S.
Neufeld, R. J., *see* Sun, Z. M.
Nianxi Yan, *see* Mingzu Zhang
Niazy, E. M., *see* Khidr, S. H.

O'Donnell, P. B., Iwata, M., and McGinity, J. W.: Properties of multiphase microspheres of poly(D,L-lactic-co-glycolic acid) prepared by a potentiometric dispersion technique 155
Özer, A. Y., *see* Arica, B.

Peihong Ni, *see* Mingzu Zhang
Pernot, J. M., *see* Giroud, F.
Phalip, P., *see* Legrand, J.
Poncelet, D., *see* Sun, Z. M.
Pouyet, B., *see* Giroud, F.
Price, R. R., *see* Monshipouri, M.

Puglisi, G., *see* Fresta, M.
Puisieux, F., *see* Santos Magalhaes, N. S.

Ravi, K. G., *see* Subhaga, C. S.
Rogers, J. A., *see* Sehgal, S.
Rollwagen, F. M., *see* Spargo, B. J.
Rössler, B., Kreuter, J., and Scherer, D.: Collagen microparticles: preparation and properties 49
Rudolph, A. S., *see* Monshipouri, M.
Rudolph, A. S., *see* Spargo, B. J.

Sah, H. K., Toddywala, R., and Chien, Y. W.: Biodegradable microcapsules prepared by a w/o/w technique: effects of shear force to make a primary w/o emulsion on their morphology and protein release 59
Santos Magalhaes, N. S., Fessi, H., Puisieux, F., Benita, S., and Seiller, M.: An *in vitro* release kinetic examination and comparative evaluation between submicron emulsion and polylactic acid nanocapsules of clofibride . . . 195
Scherer, D., *see* Rössler, B.
Sehgal, S., and Rogers, J. A.: Polymer-coated liposomes: improved liposome stability and release of cytosine arabinoside (Ara-C) 37
Seiller, M., *see* Santos Magalhaes, N. S.
Shin-Keun Kim, *see* Byung-Nak Ahn
Shukla, A. J., *see* Bhardwaj, S. B.
Singh, M., *see* Kulkarni, S. B.
Singh, R., *see* Singh, S.
Singh, R., *see* Vyas, S. P.
Singh, S., Singh, R., and Vyas, S. P.: Multiple emulsion-based systems carrying insulin: development and characterization 609
Spargo, B. J., Cliff, R. O., Rollwagen, F. M., and Rudolph, A. S.: Controlled release of transforming growth factor-β from lipid-based microcylinders . . . 247
Subhaga, C. S., Ravi, K. G., Sunny, M. C., and Jayakrishnan, A.: Evaluation of an aliphatic polyurethane as a microsphere matrix for sustained theophylline delivery 617
Sun, Z. M., Poncelet, D., Conway, J., and Neufeld, R. J.: Microencapsulation of lobster carotenoids within poly(vinyl alcohol) and poly(D,L-lactic acid) membranes 495
Suny, M. C., *see* Subhaga, C. S.

Toddywala, R., *see* Sah, H. K.
Tomikawa, M., *see* Yachi, K.
Totomi, N., Makino, K., Inoue, S., and Kondo, T.: Permeability of lipid-coated polymer capsule membranes to solutes: effects of temperature and chemical structure of solutes 263

Vachon, M. G., and Nairn, J. G.: Physico-chemical evaluation of acetylsalicylic acid-Eudragit® RS100 microspheres prepared using a solvent-partitionmethod 287
Vaziri, A., and Warburton, B.: Improved stability of w/o/w multiple emulsions by addition of hydrophilic colloid components in the aqueous phases . . . 1
Vinetsky, Y., *see* Magdassi, J.
Vyas, S. P., *see* Jain, C. P.
Vyas, S. P., *see* Katare, O. P.
Vyas, S. P., *see* Nakhare, S.
Vyas, S. P., *see* Singh, S.
Vyas, S. P., *see* Bhatnagar, S.
Vyas, S. P., Singh, R., and Asati, R. K.: Liposomally encapsulated diclofenac for sonophoresis induced systemic delivery 149

Wan, L. S. C., and Chui, W. K.: Deviation of the ratio of drugs in a two-component mixture encapsulated in cellulose phthalate microspheres 417
Warburton, B., *see* Vaziri, A.
Weatherley, L. R., *see* Etuk, B. R.
Wehrli, E., *see* Fresta, M.
Wehrli, E., *see* Gander, B.
Wu, J.-C., *see* Chen, H.

Yachi, K., Kikuchi, H., Yamauchi, H., Hirota, S., and Tomikawa, M.: Distribution of liposomes containing mannobiose esters of fatty acid in rats 377
Yamauchi, H., *see* Yachi, K.
Yazan, Y., Demirel, M., and Güler, E.: Preparation and *in vitro* dissolution of salbutamol sulphate microcapsules and tabletted microcapsules 601
Yoon, Y.-S., *see* Kim, C.-K.

Zia, H., *see* El-Kheshen, S.